

Open Grid Services Architecture Glossary of Terms Version 1.6

Status of This Document

This document provides information to the Grid community regarding the concepts and terms used by the Open Grid Services Architecture (OGSA[®]) document and related documents. It does not define any standards or technical recommendations. Distribution is unlimited.

Obsoletes

This document obsoletes GFD-I.081 [17].

Copyright Notice

Copyright © Open Grid Forum (2004–2007). All Rights Reserved.

Trademarks

OGSA is a registered trademark and service mark of the Open Grid Forum.

Abstract

The Open Grid Services Architecture (OGSA) document summarizes current understanding of the functionality required to implement a Grid infrastructure, and the rendering of this functionality into service definitions. In doing so, it uses many terms whose meanings may need clarification. Some of these terms are introduced and explained in the OGSA architecture document, while others are defined in other related documents.

The purpose of this Glossary is to provide an unambiguous definition of such terms as they are used in the context of an OGSA Grid. It is intended to be read in conjunction with the OGSA architecture document, and does not by itself provide background information about Grids, nor attempt to justify the definitions or the context in which they may be used. The reader is referred to external documents for further explanation where necessary.

Contents

1.	Introduction	3
2.	Terms	3
3.	Security Considerations	17
4.	Editor Information	17
5.	Contributors	17
6.	Acknowledgments	17
7.	Intellectual Property Statement	17
8.	Full Copyright Notice	18
9.	References	18

1. Introduction

The Open Grid Services Architecture (OGSA) architecture document summarizes current understanding of the functionality required to implement a Grid infrastructure, and the rendering of this functionality into service definitions. In doing so, it uses many terms whose meanings may need clarification. Some of these terms are introduced and explained in the OGSA architecture document, while others are defined in other related documents.

In this document we attempt to provide unambiguous definitions of such terms as they are used in the context of an OGSA-compliant Grid. Many of the definitions were arrived at after considerable debate within the OGSA working group and the OGF membership, and in the Grid and Web services community as a whole. In presenting these definitions we do not attempt to justify them, nor present the discussions that preceded them, but we encourage the reader to read the appropriate section of the OGSA architecture document, and to follow any supplied references for a more detailed discussion.

2. Terms

Note: In the following table, words or phrases in *italics* are themselves defined in the table.

Term	Definition	Ref's
A		
AAA	Authentication, authorization and accounting.	[7]
Abstract name	See <i>name</i> .	
ACID	<p>Four properties that must generally apply to stateful <i>resources</i> used within the context of a transactional unit of work within a traditional, two-phase-commit-enabled transaction system. Briefly:</p> <ul style="list-style-type: none"> • Atomicity: Updates must be made in an all-or-nothing fashion. • Consistency: Resources must be left in a consistent state, even in the event of failure. • Isolation: Partial updates must not be visible outside of the transaction until the end of the transactional unit of work. • Durability: The permanence of updates made under the transactional unit of work. <p>Source: http://en.wikipedia.org/wiki/ACID.</p>	
Address	See <i>name</i> .	
Agreement	<p>An agreement defines a dynamically established and dynamically managed relationship between two parties. The object of the relationship is the exchange of services between the parties within the context of the agreement. The management of this relationship is achieved by agreeing on the respective roles, rights and obligations of the parties. The agreement may specify not only functional properties for identification or creation of services, but also non-functional properties of the services such as performance or availability.</p> <p>Entities can dynamically establish and manage agreements via <i>Web service interfaces</i>.</p>	[18]
Allocated	See <i>allocation</i> .	
Allocation	The process of assigning a set of <i>resources</i> for use by a <i>job</i> .	

Term	Definition	Ref's
B		
BLAST	Basic Local Alignment Search Tool—a commonly-used biotechnology tool for searching sequence databases. See http://www.ncbi.nlm.nih.gov/BLAST/ for more information.	
C		
Candidate set generator	In <i>EMS</i> , a <i>service</i> that determines the set of <i>container resources</i> on which a <i>service</i> or <i>job</i> may execute.	[1]
Capability	In <i>OGSA</i> , a set of one or more <i>services</i> that together provide a function that is useful in a <i>Grid</i> context. <i>OGSA's Execution Management Services</i> are an example of an <i>OGSA capability</i> .	[1]
Chargeback	Within an organization, the practice of charging individual departments for the <i>IT resources</i> they consume.	
Choreography, orchestration and workflow	The following concepts are closely related: <ul style="list-style-type: none"> • Choreography describes required patterns of interaction among <i>services</i> and templates for sequences (or more structures) of interactions. • Orchestration describes the ways in which business processes are constructed from <i>Web services</i> and other business processes, and how these processes interact. • Workflow is a pattern of business process interaction, not necessarily corresponding to a fixed set of business processes. All such interactions may be between services residing within a single data center or across a range of different platforms and implementations anywhere. 	[4]
CIM	Common Information Model: An object-oriented model for system <i>management</i> , published by the Distributed Management Task Force (DMTF). See http://www.dmtf.org/standards/cim/ for more information. Also see <i>WBEM</i> .	
Client	In a <i>service-oriented architecture</i> , a client is a software <i>component</i> or other program unit that makes use of the capabilities offered by a <i>service</i> .	
Component	An interchangeable part of a system that encapsulates its contents and defines its behavior in terms of its public interfaces.	[9]
Container	See <i>hosting environment</i> .	
Context	The conditions and circumstances under which an operation takes place. For example: <ul style="list-style-type: none"> • In programming languages a calling context is a set of bindings of values to variables. • A <i>VO</i> is a possible context for a request to a <i>service</i>. • A security context is a set of credentials under which execution can occur. 	
CSG	See <i>candidate set generator</i> .	
D		
Data access	A mechanism that allows an <i>entity</i> to identify a subset of the data held by a <i>data resource</i> and to update that subset, return it to the requesting	[16]

Term	Definition	Ref's
	entity, or make it available for transfer elsewhere.	
Data catalog	A <i>registry</i> that stores data descriptions of <i>data services</i> or of the <i>data resources</i> they represent. This is sometimes called a “metadata catalog.”	[16]
Data center	<p>A facility that houses critical computer systems and associated components. Data centers generally include environmental controls (air conditioning, fire suppression, etc.), backup power supplies, redundant network connections and high security.</p> <p>Larger <i>enterprises</i> may have multiple data centers, often geographically distant but connected by high-capacity network connections. Conversely, in an outsourcing environment multiple enterprises may share <i>resources</i> housed in a single data center.</p> <p>Derived from http://www.wikipedia.com.</p>	
Data consistency	<p>An instance of data in a <i>resource</i> in a distributed system is said to be “consistent” with one or more other instances of that data elsewhere in the system if it is up-to-date with respect to those instances.</p> <p>In a given system, a <i>policy</i> may define the rules for determining the extent to which data is up-to-date, and for maintaining that degree of consistency.</p>	[16]
Data federation	In OGSA, data federation refers to the logical integration of multiple <i>data services</i> or <i>data resources</i> so that they can be accessed as if they were a single service.	[16]
Data format	The encoding, structure, classification and organization of data in a <i>data resource</i> or <i>message</i> .	[16]
Data management service	In OGSA, the <i>capability</i> concerned with the storage, description, access, update, location, transfer and other <i>management</i> of data.	[16]
Data model	<p>A mapping of the contents of an <i>information model</i> into a form that is specific to a particular type of repository, protocol, platform, etc. It is a rendering of an information model according to a specific set of mechanisms for representing, organizing, storing and handling data.</p> <p>There are typically three parts:</p> <ul style="list-style-type: none"> • A collection of data structures such as lists, tables, and relations; • A collection of operations that can be applied to the structures such as retrieval, update, and summation; • A collection of integrity rules that define the legal values or changes of state (operations on values). <p>The audience for a data model is implementers. The <i>WBEM</i> initiative is an example of an instantiation of <i>CIM</i> as a data model.</p> <p>For more information see RFC3444 (http://rfc.net/rfc3444.html).</p>	
Data replication	<p>The maintenance of one or more copies (replicas) of data such that the replicas are kept up-to-date with any changes in that data.</p> <p>See <i>OGSA Data Architecture</i> [16] for more information.</p>	[16]
Data resource	An <i>entity</i> (and its associated framework) that provides a <i>data access</i> mechanism or can act as a <i>data source</i> or <i>data sink</i> .	[16]
Data service	A <i>service</i> that provides interfaces to the capabilities and data of one or more <i>data resources</i> within a <i>service-oriented architecture</i> .	[16]
Data set	An encoding of data in a defined syntax suitable for externalization outside of a <i>data service</i> —for example, for data transfer to or from another <i>data</i>	[16]

Term	Definition	Ref's
	<i>service</i> . Examples include a WebRowSet encoding of an SQL query result set, a JPEG-encoded byte array, and a ZIP-encoded byte array of a set of files.	
Data sink	A <i>data resource</i> that receives the data copied by a <i>data transfer</i> mechanism from a <i>data source</i> .	[16]
Data source	A <i>data resource</i> that contains the data to be copied to a <i>data sink</i> via a <i>data transfer</i> mechanism.	[16]
Data staging	The transfer of data to a specified location in preparation for an activity, e.g., running a job on an execution <i>resource</i> , or the transfer of data resulting from an activity to another location.	[16]
Data transfer	A mechanism to physically copy data from a <i>data source</i> to a <i>data sink</i> .	[16]
Deployment	See <i>provisioning</i> .	
Denial-of-service (DoS) attack	A form of attack on a computer system that results in some part of the system being prevented from providing its normal level of service to its users.	
DoS	See <i>denial of service attack</i> .	
E		
EGA	See <i>Enterprise Grid Alliance</i> .	
EGA Reference Model	A model developed by the former <i>EGA</i> that describes a Grid architecture for use in <i>enterprises</i> . This work is the basis for work now being carried out by the <i>OGF's</i> Reference Model working group. For more information see http://www.ogf.org/gf/group_info/view.php?group=rm-wg .	
EMS	See <i>Execution Management Services</i> .	
Endpoint, end point	A specific location to which a client may bind in order to access a <i>Web service</i> , using a specific protocol and data format.	[3]
Endpoint reference (EPR)	A WS-Addressing construct that identifies a message destination. In <i>WSRF</i> an EPR conveys the information needed to identify or reference a stateful <i>resource</i> . See http://www.w3.org/2002/ws/addr/ for information about WS-Addressing.	
Enterprise	In common use, a business organization. Within <i>OGSA</i> and the <i>EGA Reference Model</i> the term is applied to any organization whose IT facilities and operations follow <i>enterprise computing</i> practices, even if the organization does not have a literal business focus.	
Enterprise computing	Computing to support the operation of an <i>enterprise</i> or other organization. Characteristics typically include some subset of the following: <ul style="list-style-type: none"> • Concentration of IT <i>resources</i> into one or more <i>data centers</i>. • Operation of <i>enterprise applications</i>. • Emphasis on satisfying customer expectations through the use of <i>SLOs</i>. • The need to be able to deploy and re-deploy resources rapidly in response to business changes. • Attention to maximizing value through effective use of resources, and 	

Term	Definition	Ref's
	often by assigning operating costs to customer organizations such as business units or departments.	
Enterprise Grid Alliance (EGA)	The former name for a community forum that was formed to promote and support the development, deployment, and implementation of <i>Grid</i> technologies for <i>enterprise computing</i> . EGA merged with the former <i>Global Grid Forum</i> (GGF) to form the <i>Open Grid Forum</i> . See http://www.ogf.org for more information.	
Entity	Any nameable thing. For example, in OGSA an entity might be a <i>resource</i> or a <i>service</i> .	
EPR	See <i>endpoint reference</i> .	
EPS	Execution Planning Service. In OGSA-EMS, a service that establishes relationships between <i>jobs</i> and <i>resources</i> for <i>scheduling</i> purposes.	
e-Science	Computationally intensive science that is carried out in highly distributed network environments, or science that uses immense data sets that require <i>grid computing</i> . For more information see http://en.wikipedia.org/wiki/E-Science .	
Event	Anything that occurs in or to an IT system that is potentially interesting to a person, to some other part of the same system, or to an external system, may be considered to be an event. Information about an event may be expressed as a <i>log record</i> and stored in a <i>log service</i> . It may also be communicated to other interested <i>services</i> through a <i>notification message</i> .	
Execution Management Services (OGSA-EMS)	An OGSA <i>capability</i> that is concerned with the problems of instantiating and managing, to completion, <i>units of work</i> .	[1]
F		
Failure	A state in which a service or other entity is not correctly meeting its specified behavior.	
Failure recovery	Restoration of a <i>service</i> or other <i>entity</i> to its specified behavior. Recovery might be effected either by correcting the failure condition or by routing subsequent requests to an alternate <i>entity</i> that is capable of providing the same service.	
File path	A string in some directory system that can be bound to some file (or pseudo-file)—for example, /home/mydir/data. Usually a file path on one machine is invalid or resolves to a different file on other machines (in the absence of some sort of distributed file system).	
G		
Global Grid Forum (GGF)	The former name for a community forum that promotes and supports the development, deployment, and implementation of <i>Grid</i> technologies. Following its merger with the Enterprise Grid Alliance GGF was renamed to the <i>Open Grid Forum</i> (OGF). See http://www.ogf.org for more information.	
GGF	See <i>Global Grid Forum</i> .	
GMA	Grid Monitoring Architecture. An architecture that describes a set of monitoring components addressing the characteristics of Grid platforms.	[14]

Term	Definition	Ref's
	GMA was developed by the GGF's Performance working group	
Grid, Grid computing	<p>A grid is a system that is concerned with the integration, <i>virtualization</i>, and <i>management of services</i> and <i>resources</i> in a distributed, heterogeneous environment that supports collections of users and resources (<i>virtual organizations</i>) across traditional administrative and organizational domains (<i>real organizations</i>).</p> <p>Less formally, a grid computing environment combines distributed pools of <i>resources</i> onto which applications or <i>services</i> may be dynamically <i>provisioned</i> and re-provisioned, to improve economy, efficiency, agility, performance, scaling, resilience and utilization. The contributed resources are often consolidated from numerous smaller pools, where they may have been under-utilized, and as a result grids tend to be heterogeneous.</p> <p>Grids offer great flexibility, as resources can be re-purposed or re-provisioned in line with an organization's changing goals. They typically focus on <i>services</i> rather than components, and are built using architectural styles such as <i>service-oriented architecture</i>, which are disaggregated or distributed in nature and can leverage the properties of the available resources. Key requirements for successful grid implementation and management include standardization of the interfaces of common components, and the use of standardized <i>information models</i> and <i>data models</i>.</p> <p>Grid computing is related to, but subtly different from, utility computing.</p>	
Grid computing	See <i>Grid</i>	
Grid fabric	The core set of <i>service interfaces</i> that must be implemented in order to realize an <i>OGSA Grid</i> . Also known as the OGSA infrastructure services.	
Grid service	The formal definition of this term is deprecated. In general use, a Grid service is a <i>Web service</i> that is designed to operate in a <i>Grid</i> environment, and meets the requirements of the Grid(s) in which it participates.	[8]
H		
Hosting environment	<p>Any environment in which a task can execute—for example a <i>Web services</i> execution environment, an operating system, etc.</p> <p>Also referred to as a <i>service container</i>, or simply <i>container</i>.</p>	
HTTP	<p>Hypertext Transfer Protocol—a text-based protocol that is commonly used for transferring information across the Internet.</p> <p>See http://www.w3c.org/Protocols for more information.</p>	
HTTPS	Hypertext Transfer Protocol (Secure)— <i>HTTP</i> encrypted using <i>SSL</i> .	
Human-oriented name	See <i>name</i> .	
I		
Identity	An attribute, such as a <i>name</i> , that allows one <i>entity</i> to be distinguished from all others.	
Information model	<p>An abstraction and representation of entities in a <i>managed</i> environment including properties, operations, and relationships.</p> <p>An information model is independent of implementation: that is, it is protocol-neutral, repository-independent, and platform-independent.</p> <p>An information model's level of specificity is varied, dependent on need. It</p>	

Term	Definition	Ref's
	<p>can be described in a formal language such as <i>UML</i> or an informal natural language such as English.</p> <p>An information model is useful for designers to describe the managed environment, for administrators to understand the modeled objects, and for implementers as a guide to the functionality that can be described, limited by, and coded in the data models.</p> <p><i>CIM</i> is an example of an object-oriented information model.</p> <p>For more information see RFC3444 (http://rfc.net/rfc3444.html).</p>	
Interface	In a <i>service-oriented architecture</i> , a specification of the operations that a service offers its clients.	
Intermediary	<p>In <i>OGSA information services</i>, a <i>service</i> that decouples Interacting endpoints</p> <p>See also <i>event</i>.</p>	
IPC	Inter-process communication via <i>message-passing</i> , shared memory (including shared files), or <i>TCP</i> .	
IRI	<p>Internationalized Resource Identifier: an extension of the <i>URI</i> syntax to allow non-Latin characters.</p> <p>The IRI syntax is defined in RFC 3987 (http://rfc.net/rfc3987.html).</p>	
IT	Information technology.	
J		
Job	<p>A user-defined task that is scheduled to be carried out by an execution subsystem.</p> <p>In <i>OGSA-EMS</i>, a job is modeled as a <i>manageable resource</i>, has an <i>endpoint reference</i>, and is <i>managed</i> by a <i>job manager</i>.</p>	[1]
Job manager	<p>In <i>OGSA-EMS</i>, a service that manages a set of one or more <i>job</i> instances, which may be structured (e.g. a <i>workflow</i> or dependence graph) or unstructured (e.g. an array of non-interacting jobs).</p> <p>The job manager encapsulates all aspects of job execution, including interacting with execution planning <i>services</i>, the <i>provisioning</i> system, <i>containers</i>, and monitoring services. It may also deal with <i>failures</i> and restarts, it may schedule <i>jobs</i> to <i>resources</i>, and it may collect <i>agreements</i>, <i>reservations</i> and job service data.</p>	[1]
Job Submission Description Language (JSDL)	A language for describing job submissions, including details of their required execution environments.	[19]
JSDL	See <i>Job Submission Description Language</i> .	
K		
L		
Legacy, legacy file system, legacy program	In <i>OGSA</i> , "legacy" is often used to describe pre-existing items such as programs or file systems that must be Grid-enabled before they can be used as Grid <i>resources</i> .	
Log record	An expression of an <i>event</i> for the purpose of persisting the event in a <i>logging service</i> .	
Log service	See <i>logging service</i> .	
Logging service	An <i>intermediary</i> that serves as a repository for <i>log records</i> .	

Term	Definition	Ref's
M		
Manage	See <i>management</i> .	
Manageability	The ability to manage a <i>resource</i> , or the ability of a resource to be managed.	[12]
Manageability interface	The <i>interface</i> through which a <i>resource</i> is <i>managed</i> .	
Manageable resource	A <i>resource</i> that can be <i>managed</i> programmatically, either through a <i>manageability interface</i> or through some other mechanism such as a policy file.	
Management	The process of taking administrative actions such as <i>deploying</i> , <i>configuring</i> , <i>monitoring</i> , <i>metering</i> , <i>tuning</i> , and/or <i>troubleshooting resources</i> , either manually or automatically.	[11]
Managed	See <i>management</i> .	
Manager	Software that <i>manages manageable resources</i> . A manager may or may not require a human operator.	
Message	A self-contained unit of data that is transferred between a <i>message producer</i> and one or more <i>message consumers</i> .	
Message broker	An <i>intermediary</i> in a <i>messaging service</i> . A broker may provide additional functions such as filtering and store-and-forward.	
Message consumer	A <i>service</i> that receives a <i>message</i> .	
Message producer	A <i>service</i> that emits a <i>message</i> .	
Messaging service	A <i>service</i> that transmits <i>messages</i> from <i>message producers</i> to <i>message consumers</i> .	
Metadata	Data that describes data. Metadata may include references to schemas, provenance, and information quality.	
MPI	Message Passing Interface: a standard API for implementing message-passing libraries. MPI libraries are generally used to coordinate activity within parallel applications. See http://www.mpi-forum.org for more information.	
N		
Name	An attribute used to identify an <i>entity</i> . In <i>OGSA-naming</i> , there are three types of names: human-oriented names, abstract names, and addresses. <ul style="list-style-type: none"> • A human-oriented name is based on a naming scheme that is designed to be easily interpreted by humans (e.g. human-readable and human-parsable). • An abstract name is a persistent name suitable for machine processing that does not necessarily contain location information. Abstract names are bound to addresses. • An address specifies the location of an entity. 	[1]
Notification	A <i>message</i> communicating the details of an <i>event</i> to an interested party.	
Notification message	See <i>notification</i> .	

Term	Definition	Ref's
Notify	Send a <i>notification message</i> .	
O		
OGF	See <i>Open Grid Forum</i> .	
OGSA	Open Grid Services Architecture.	[1]
OGSA-EMS	See <i>Execution Management Services</i> .	
OGSA-Naming	An OGSA capability used to associate <i>names</i> with <i>entities</i> .	[1]
OGSA Basic Profile	An OGSA Basic Profile is a profile in the style of WS-Interoperability (WS-I) that defines recommended usage of infrastructure-level standards for Grid <i>scenarios</i> . OGSA services should utilize one such profile when a given infrastructure capability is needed. For example, if secure communication is required services should use one of the OGSA Basic Security Profiles. See http://ws-i.org for information about WS-I.	
OGSA Information Services	An OGSA capability that provides access to information about applications, <i>resources</i> and <i>services</i> .	[1]
OGSA Infrastructure Services	See <i>Grid fabric</i> .	
Open Grid Forum (OGF)	The standards development organization that is developing OGSA. OGF was formed in 2006 by merging the Global Grid Forum (GGF) and the Enterprise Grid Alliance (EGA). See http://www.ogf.org for information.	
Orchestration	See <i>choreography, orchestration and workflow</i> .	
P		
Policy	Statements, rules or assertions that specify the correct or expected behavior of an <i>entity</i> . For example, an authorization policy might specify the correct access control rules for a software <i>component</i> .	[10]
Profile	A normative document that aids development of interoperable software components by providing guidance on the use of a collection of specifications or other profiles.	[13]
Provisioning (and deployment)	Provisioning is the act of putting a <i>resource</i> or set of resources into a state such that it is available for use. Depending on the context of the operation, the provisioning process might include activities such as <i>reservation</i> and <i>allocation</i> . The term "provisioning" is commonly used in conjunction with <i>or</i> as an alternative to deployment . In contexts where the two are used together, provisioning is often regarded as the high-level process of gathering and readying <i>all</i> the necessary resources, while each lower-level process, such as allocating a server or installing and starting a software component, is referred to as deployment. Both terms may have more specific meanings in particular contexts. For example, <i>EMS</i> defines both terms and regards provisioning as a heavyweight operation that instantiates operating environments and may take substantial time, while deployment is regarded as a lightweight activity that may simply place a dataset or an application on an already-	

Term	Definition	Ref's
	provisioned resource.	
Q		
Quality of service (QoS)	A measure of the level of service attained, such as security, network bandwidth, average response time or service availability.	
QoS	See <i>Quality of service</i> .	
R		
Real organization	The computers and <i>resources</i> that constitute a traditional administrative and organizational domain.	
Registry	An authoritative, centrally-controlled store of information. <i>Web services</i> use registries to advertise their existence and to describe their <i>interfaces</i> and other attributes. Prospective <i>clients</i> query registries to locate required <i>services</i> and to discover their attributes.	
Release	The action of returning an <i>allocated resource</i> to the pool of available resources.	
Reservation	The process of reserving <i>resources</i> for future use by a planned task.	
Resource	A resource is a physical or logical <i>entity</i> that supports use or operation of a computing application or environment. In an OGSA Grid resources are accessed through <i>services</i> . In a Grid context the term encompasses entities that provide a capability or capacity (e.g., servers, networks, disks, memory, applications, databases, IP addresses, and software licenses). Dynamic entities such as processes, print jobs, database query results and <i>virtual organizations</i> may also be represented and handled as resources. See http://www.w3.org/TR/2004/NOTE-ws-arch-20040211/#resource for the WS Architecture definition of this term.	
Resource allocation	See <i>allocation</i> .	
Resource configuration	The process of adjusting the configurations of a set of <i>resources</i> to meet the requirements of the task to which they have been <i>allocated</i> . For example, configuration may involve setting appropriate parameters and storing policies for middleware, O/S, firmware and hardware. Resource configuration may be preceded by <i>resource deployment</i> .	
Resource deployment	See <i>deployment</i> .	
Resource discovery	The process of searching for <i>resources</i> that match some criteria.	
Resource lifecycle management	The process of <i>managing</i> resources allocated to a task, from the time of <i>allocation</i> until the time of <i>release</i> .	
Resource management	A generic term for several forms of <i>management</i> that may be applied to <i>resources</i> . These include (but are not limited to) typical <i>IT</i> systems management activities.	
Resource manager	A <i>manager</i> that implements one or more <i>resource management</i> functions.	
Resource model	This term is deprecated. Use <i>information model</i> and <i>data model</i> .	
Resource provisioning	See <i>provisioning</i> .	

Term	Definition	Ref's
Resource release	See <i>release</i> .	
Resource reservation	See <i>reservation</i> .	
Resource virtualization	See <i>virtualization</i> .	
S		
Scenario	A scenario is a specific sequence or path of interactions, from initiation to goal, occurring within a particular environment and/or <i>context</i> . A <i>use case</i> may contain multiple scenarios. OGSA scenarios are high-level and described in a casual style.	
Schedule	A mapping (relation) between <i>services</i> and <i>resources</i> , possibly with time constraints. A schedule can be extended with a list of alternative <i>schedule deltas</i> .	
Schedule deltas	A set of transformations that may be produced for use if some part of the current <i>schedule</i> becomes invalid. For example, if a <i>resource</i> becomes unavailable, it may be possible to use a schedule delta rather than reschedule the <i>job</i> from scratch.	[1]
Scheduling	The process of reserving <i>resources</i> for future use by a planned task.	
Self-management	A <i>capability</i> by which system <i>components</i> —including hardware components, such as computers, networks and storage devices, and software components such as operating systems and business applications—are self-configuring, self-healing and self-optimizing.	
Service	A service in the most general sense is an <i>entity</i> , usually composed of one or more software <i>components</i> , that provides functionality in response to <i>client</i> requests. A service is often a part of a <i>service-oriented architecture</i> , and participates in realizing one or more <i>capabilities</i> . For example, a high-level service such as an electronic bookstore may be composed of several lower-level constituent services, such as inventory, checkout and order tracking.	
Service composition	Aggregation of multiple small <i>services</i> into larger services. See http://www.serviceoriented.org for more information.	
Service container	See <i>hosting environment</i> .	
Service endpoint	See <i>endpoint</i> .	
Service-level agreement (SLA)	A contract between a provider and a consumer that specifies the level of service that is expected during the term of the contract. An SLA typically includes one or more <i>service-level objectives</i> . SLAs are used by vendors and customers, as well as internally by IT shops and their end users. They might specify availability requirements and response times for normal operations and for problem resolution (network down, machine failure, etc.), and they might stipulate the payment and/or penalties associated with meeting or failing to meet the agreed criteria. Derived from: http://www.hostchart.com/webhostingterms.asp .	
Service level attainment	The act of meeting a pre-established <i>service level objective</i> .	

Term	Definition	Ref's
Service level manager (SLM)	A service level <i>manager</i> ensures that the <i>service level objectives</i> for a set of resources are met. Service level management typically entails monitoring availability and performance, analyzing the results of the monitoring activity and projecting future requirements, determining what adjustments, if any, are needed to meet the objectives, and acting accordingly.	
Service-level objective (SLO)	A measurable objective, defined within a <i>service-level agreement</i> , for a service or for a set of one or more <i>resources</i> . An SLO might be expressed in units such as average response time for a representative set of transaction types, or in terms of the monthly availability of a given <i>service</i> .	
Service-oriented architecture (SOA)	This term is increasingly used to refer to an architectural style of building reliable distributed systems that deliver functionality as <i>services</i> , with the additional emphasis on loose coupling between interacting services. ¹ Note: An SOA can be based on <i>Web services</i> (which provide basic interoperability), but it may use other technologies instead.	[5] [6]
Service provider	This term is generally synonymous with <i>service</i> . In some contexts it may refer to a person, organization or higher-level system responsible for making a <i>service</i> available to <i>service requestors</i> .	
Service requestor	This term is generally synonymous with <i>client</i> . In some contexts it may refer to a person, organization or higher-level system that makes use of a <i>service</i> offered by a <i>service provider</i> .	
SLA	See <i>service level agreement</i> .	
SLM	See <i>service level manager</i> .	
SNMP	Simple Network Management Protocol: a protocol for managing network-attached devices. SNMP is defined by RFC 1157 (http://rfc.net/rfc1157.html). See http://en.wikipedia.org/wiki/Snmp for discussion of this topic.	
SLO	See <i>service level objective</i> .	
SOA	See <i>service-oriented architecture</i> .	
SOAP	An XML-based protocol for exchanging structured information in a decentralized, distributed environment. ² See http://www.w3.org/2000/xp/Group and http://www.w3.org/TR/soap12-part1/ for more information.	
SSL	Secure Sockets Layer: a communication protocol whose primary goal is to provide private and reliable communication between two applications. See http://en.wikipedia.org/wiki/Secure_Sockets_Layer for more information. Also see <i>TLS</i> .	
Staging	See <i>data staging</i> .	

¹ See https://forge.gridforum.org/projects/ogsa-wg/document/Proposed_SOA_Definition/en/1 for additional considerations of service-oriented architecture.

² Originally the acronym SOAP stood for "Simple Object Access Protocol", but that name is no longer considered by the W3C to be descriptive of its use, so "SOAP" is now considered to be a name rather than an abbreviation.

Term	Definition	Ref's
State	<p>An <i>entity's</i> state is the combined values of its "interesting" attributes. Interesting attributes are those for which external observers may see changes over time. Examples include the position of a switch, the price of a stock, or the amount of memory allocated to a process.</p> <p>Since not all attributes may be available or interesting to all possible observers, different observers may have different views of the state of an entity at a given time.</p> <p>A change in the value of an attribute is an <i>event</i>.</p>	
Storage resource	A <i>resource</i> that provides a physical or logical storage capability. Examples include storage devices, storage appliances, disk volumes and file systems.	
T		
TCP	Transmission Control Protocol. A packet-level, stream-oriented protocol used to exchange data over the Internet.	
TLS	<p>Transport Layer Security: a secure communication protocol. TLS is a successor to SSL, and offers additional security measures.</p> <p>TLS is defined by RFC 2246 (http://rfc.net/rfc2246.html). See http://en.wikipedia.org/wiki/Transport_Layer_Security for discussion of this topic.</p>	
Trust	The willingness to take actions expecting beneficial outcomes, based on assertions by other parties.	[7]
Trust authority	An <i>entity</i> that is trusted to make specified assertions.	[7]
Trust management	Trust management defines <i>trust authorities</i> and specifies what they should be trusted to do.	[7]
Trust relationships	<p><i>Policies</i> that govern how <i>entities</i> in differing domains honor each other's authorizations.</p> <p>An authority may be completely trusted—for example, any statement from the authority will be accepted as a basis for action—or there may be limited trust, in which case only statements in a specific range are accepted.</p>	[7]
U		
UDDI	<p>Universal Description, Discovery and Integration: a specification that defines a way to publish and discover information about <i>Web services</i>.</p> <p>See http://www.uddi.org for more information.</p>	
Unit of work	<p>A request, typically user-defined, to execute an OGSA application or a <i>legacy program</i>.</p> <p>In OGSA-EMS, a unit of work has both a manageability aspect, represented by a <i>job</i>, and an execution aspect. Its execution aspect, e.g., a running application or <i>service</i>, is managed through the associated <i>job</i>.</p>	[1]
UML	<p>Unified Modeling Language.</p> <p>See http://www.uml.org/ for more information.</p>	
URI	Uniform Resource Identifier: A string used for identifying an abstract or physical <i>resource</i> .	
URL	Uniform Resource Locator: the <i>address</i> of an Internet resource.	
Use case	A use case captures interactions of an agent or <i>entity</i> with a system	[15]

Term	Definition	Ref's
	<p>and/or its constituents, and the expected behavior of the parties as a consequence, where such interactions are directed towards achieving a specific goal. Different sequences of behavior, or <i>scenarios</i>, can unfold, depending on the particular requests made and conditions surrounding the interactions. The use case description may include the environment and <i>context</i> salient to each scenario.</p> <p>OGSA use cases are high-level and described in a casual style. They are not at the level of detail required for a formal requirements analysis but are intended to provide sufficient detail to inform the architectural definition process.</p> <p>For more information see "Writing Effective Use Cases," Alistair Cockburn, Addison-Wesley Professional; 1st edition (January 15, 2000).</p>	
UUID	Universally-unique identifier.	
V		
Virtualization	Virtualization uses a level of indirection to abstract the implementation details of one or more entities, enabling them to appear to their consumers in a more appropriate form. For example, a virtualized entity might present different interfaces from its underlying entities, a single entity might be partitioned and presented as a set of (lower-capacity) entities, or a set of discrete entities might be treated as a single aggregate entity.	
Virtualize	See <i>virtualization</i> .	
Virtual organization (VO)	<p>A virtual organization comprises a set of individuals and/or institutions having direct access to computers, software, data, and other <i>resources</i> for collaborative problem-solving or other purposes.</p> <p>VOs are a concept that supplies a <i>context</i> for operation of a <i>Grid</i> that can be used to associate users, their requests, and a set of resources. The sharing of resources in a VO is necessarily highly controlled, with resource providers and consumers defining clearly and carefully just what is shared, who is allowed to share, and the conditions under which sharing occurs.</p>	[1]
VO	See <i>virtual organization</i> .	
W		
WBEM	<p>Web-Based Enterprise Management: a set of <i>management</i> technologies developed to unify the management of enterprise computing environments.</p> <p>WBEM has three main components: the <i>CIM</i> resource model; a representation of CIM classes and instances in XML; and a mapping of CIM operations onto HTTP. A means of accessing CIM through <i>Web services</i> is currently under development.</p> <p>See http://www.dmtf.org for more information.</p>	
Web service	<p>A software system designed to support interoperable machine- or application-oriented interaction over a network.</p> <p>A Web service has an <i>interface</i> described in a machine-processable format (specifically <i>WSDL</i>). Other systems interact with the Web service in a manner prescribed by its description using <i>SOAP</i> messages, typically conveyed using <i>HTTP</i> with an <i>XML</i> serialization in conjunction with other Web-related standards.</p>	[3]
Workflow	See <i>choreography, orchestration and workflow</i> .	

Term	Definition	Ref's
WSDL	Web Services Description Language—an <i>XML</i> -based language for describing <i>Web services</i> . See http://www.w3.org/TR/wsdl for more information.	
WSDM	Web Services Distributed Management: A Web services architecture for <i>managing</i> distributed <i>resources</i> . See http://www.oasis-open.org/specs/ for more information.	
WS-Management	A family of preliminary specifications dealing with the exchange of <i>management</i> information. See http://www.dmtf.org/standards/wsman for more information.	
WS-Notification	A set of specifications dealing with <i>notification</i> . See http://www.oasis-open.org/specs/ for more information.	
WS-Resource Framework	A set of specifications dealing with the association of <i>Web services</i> with stateful <i>resources</i> . See http://www.oasis-open.org/specs/ for more information.	
WSN, WS-N	See <i>WS-Notification</i> .	
WSRF, WS-RF	See <i>WS-Resource Framework</i> .	
X		
XML	Extensible Markup Language—a flexible text format that is used for data exchange. See http://www.w3.org/XML for information.	
Y		
Z		

3. Security Considerations

Security considerations are not applicable to this document.

4. Editor Information

Jem Treadwell
Hewlett-Packard
Phone: 856-638-6021
Email: Jem.Treadwell@hp.com

5. Contributors

We gratefully acknowledge the contributions made to this document by Michael Behrens, Dave Berry, Vikas Deolaliker, Abdeslem Djaoui, Donal Fellows, Ian Foster, Andrew Grimshaw, Olegario Hernandez, Bill Horn, Hiro Kishimoto, Fred Maciel, Dejan Milojcic, Steven Newhouse, Jim Pruyne, Andreas Savva, Stuart Schaefer, Frank Siebenlist, David Snelling, Ellen Stokes, Paul Strong, Ravi Subramaniam, Jay Unger, and many others.

6. Acknowledgments

We are grateful to numerous colleagues for discussions on the topics covered in this document, and to the people who provided comments on the public drafts. Thanks in particular to (in

alphabetical order, with apologies to anybody we have missed) Greg Astfalk, Karl Czajkowski, Mike Guerette, Sven Graupner, Allen Luniewski, Dejan Milojcic, and Andrea Westerinen.

7. Intellectual Property Statement

The OGF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the OGF Secretariat.

The OGF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this recommendation. Please address the information to the OGF Executive Director.

Disclaimer

This document and the information contained herein is provided on an "As Is" basis and the OGF disclaims all warranties, express or implied, including but not limited to any warranty that the use of the information herein will not infringe any rights or any implied warranties of merchantability or fitness for a particular purpose.

8. Full Copyright Notice

Copyright © Open Grid Forum (2004-2007). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the OGF or other organizations, except as needed for the purpose of developing Grid Recommendations in which case the procedures for copyrights defined in the OGF Document process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the OGF or its successors or assignees.

9. References

1. Foster, I., Kishimoto, H., Savva, A., Berry, D., Djaoui, A., Grimshaw, A., Horn, B., Maciel, F., Siebenlist, F., Subramaniam, R., Treadwell, J., and Von Reich, J.: The Open Grid Services Architecture, Version 1.5, Open Grid Forum, Lemont, Illinois, U.S.A., GWD-I.080, September 2006. <http://www.ogf.org/gf/docs/?final>
2. Foster, I., Kesselman, C. and Tuecke, S.: The Anatomy of the Grid: Enabling Scalable Virtual Organizations. International Journal of Supercomputer Applications, 15 (3). 200-222. 2001
3. World Wide Web Consortium (W3C): Web Services Glossary, W3C Working Group Note 11 February 2004. <http://www.w3.org/TR/ws-gloss/>
4. Peltz, C.: Web Services Orchestration and Choreography. IEEE Computer, October 2003
5. Burbeck, S.: The Tao of e-business services. IBM Corporation, IBM developerWorks, October 2000. <http://www-106.ibm.com/developerworks/webservices/library/ws-tao/>

6. Sprott, D. and Wilkes, L: Understanding Service-Oriented Architecture. Microsoft Corporation, Microsoft Developer Network, January 2004.
<http://msdn.microsoft.com/library/default.asp?url=/library/en-us/dnmai/html/aj1soa.asp>
7. Lorch, M. and Thompson, M.: Authorization Glossary, Global Grid Forum, Lemont, Illinois, U.S.A., GFD-I.042, November 2004. <http://www.ggf.org/documents/final.htm>
8. Tuecke, S., Czajkowski, K., Foster, I., Frey, J., Graham, S., Kesselman, C., Maguire, T., Sandholm, T., Snelling, D., and Vanderbilt, P.: Open Grid Services Infrastructure (OGSI) Version 1.0, Global Grid Forum, Lemont, Illinois, U.S.A., GFD-R-P.15, June 2003.
<http://www.ogf.org/gf/docs/?final>
9. Object Management Group (OMG): UML 2.0 Infrastructure Specification, November 7, 2003.
<http://www.omg.org/docs/ptc/03-09-15.pdf>
10. Westerinen, A., Schnizlein, J., Strassner, J., Scherling, M., Quinn, B., Herzog, S., Huynh, A., Carlson, M., Perry, J., and Waldbusser, S.: RFC 3198—Terminology for Policy-Based Management. The Internet Society, Network Working Group, November 2001.
<http://www.ietf.org/rfc/rfc3198.txt?number=3198>
11. Maciel, F. B. (ed.): Resource Management in OGSA, Global Grid Forum, Lemont, Illinois, U.S.A., GFD-I.045, March 2005. <http://www.ogf.org/gf/docs/?final>
12. Web Services Distributed Management: Management Using Web Services (MUWS 1.0) Part 1: OASIS Standard, March 2005
<http://www.oasis-open.org/specs/index.php#wsdm-muwsv1.0>
13. Maguire, T., Snelling, D. (ed.) OGSA Profile Definition Version 1.0, Global Grid Forum, Lemont, Illinois, U.S.A., GFD-I.059, January 2006. <http://www.ogf.org/gf/docs/?final>
14. Tierney, B., Aydt, R., Gunter, D., Smith, W., Swamy, M., Taylor, V., Wolski, R.: A Grid Monitoring Architecture, Global Grid Forum, Lemont, Illinois, U.S.A., GFD-I.7, January 2002. <http://www.ogf.org/gf/docs/?final>
15. Foster, I., Gannon, D., Kishimoto, H., Von Reich, J.: Open Grid Services Architecture Use Cases, Global Grid Forum, Lemont, Illinois, U.S.A., GFD-I.029, October 2004.
<http://www.ogf.org/gf/docs/?final>
16. Berry, D., Luniewski, A., Antonioletti, M.: OGSA Data Architecture, Open Grid Forum, Lemont, Illinois, U.S.A., GFD-I.121, December 2007. <http://www.ogf.org/gf/docs/?final>
17. Treadwell, J. (ed): Open Grid Services Architecture Glossary of Terms version 1.5, Global Grid Forum, Lemont, Illinois, U.S.A., GFD-I.081, September 2006.
<http://www.ogf.org/gf/docs/?final>
18. Andrieux, A., Czajkowski, K., Dan, A., Keahey, K., Ludwig, H., Kakata, T., Pruyne, J., Rofrano, J., Tuecke, S., Xu, M.: Web Services Agreement Specification (WS-Agreement), Open Grid Forum, Lemont, Illinois, U.S.A., GFD-R-P.107, May 2007.
<http://www.ogf.org/gf/docs/?final>
19. Anjomshoaa, A., Brisard, F., Drescher, M., Fellows, D., Ly, A., McGough, S., Pulsipher, D., Savva, A.: Job Submission Description Language (JSDL) Specification, Version 1.0, Global Grid Forum, Lemont, Illinois, U.S.A., GFD-R.056, November 2005.
<http://www.ogf.org/gf/docs/?final>